Bath Price Continuum - *Focus Product*

Pivotal™

Tesla®

Victorian®

Vero®

Zura®

Dorval™ TE

Trillian™

Stryke®

Ara®

Dryden™

Cassidy™

Compel®

Galeon™

Trinsic®

NEW! Available Q4 2021

Single Handle Bathroom Faucet

Model	Flow	Price	Finish
571-PR-LPU-DST	1.2 gpm	224.85	Lumicoat™ Chrome
571-BLLPU-DST	1.2 gpm	314.60	Matte Black
571-SS-PR-LPU-DST	1.2 gpm	314.60	Lumicoat™ Stainless

- 1 or 3-hole, 4" installation order RP101575 escutcheon
- 5 15/16" long, 8 11/16" high
- Rigid spout
- Laminar flow
- Red/blue indicator
- Less pop-up
- 3/8" compression fittings
- 2 1/4" max. deck thickness
- 32" min. InnoFlex® supply lines
- Order RP73838 for 1.0 gpm restrictor and RP73837 for 0.5 gpm restrictor
- Euro-motion DIAMOND™ Valve
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Single Handle Bathroom Faucet

Model	Flow	Price	Finish
571-PR-MPU-DST	1.2 gpm	258.65	Lumicoat™ Chrome
571-BLMPU-DST	1.2 gpm	361.80	Matte Black
571-SS-PR-MPU-DST	1.2 gpm	361.80	Lumicoat™ Stainless

- 1 or 3-hole, 4" installation order RP101575 escutcheon
- 5 15/16" long, 8 11/16" high
- Rigid spout
- Laminar flow
- Red/blue indicator
- Metal drain assembly
- 3/8" compression fittings
- 2 1/4" max. deck thickness
- 32" min. InnoFlex® supply lines
- Order RP73838 for 1.0 gpm restrictor and RP73837 for 0.5 gpm restrictor
- Euro-motion DIAMOND™ Valve
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Single Handle Bathroom Faucet

Model	Flow	Price	Finish
573-PR-LPU-DST	1.2 gpm	307.55	Lumicoat™ Chrome
573-BLLPU-DST	1.2 gpm	401.55	Matte Black
573-SS-PR-LPU-DST	1.2 gpm	401.55	Lumicoat™ Stainless

- 1 or 3-hole, 4" installation order RP101575 escutcheon
- 5 15/16" long, 8 1/16" high
- Rigid spout
- Laminar flow
- Red/blue indicator
- Less pop-up
- 3/8" compression fittings
- 2 1/4" max. deck thickness
- 32" min. InnoFlex® supply lines
- Order RP73838 for 1.0 gpm restrictor and RP73837 for 0.5 gpm restrictor
- Euro-motion DIAMOND™ Valve
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Single Handle Bathroom Faucet

Model	Flow	Price	Finish
573-PR-MPU-DST	1.2 gpm	341.35	Lumicoat™ Chrome
573-BLMPU-DST	1.2 gpm	448.75	Matte Black
573-SS-PR-MPU-DST	1.2 gpm	448.75	Lumicoat™ Stainless

- 1 or 3-hole, 4" installation order RP101575 escutcheon
- 5 15/16" long, 8 1/16" high
- Rigid spout
- Laminar flow
- Red/blue indicator
- Metal drain assembly
- 3/8" compression fittings
- 2 1/4" max. deck thickness
- 32" min. InnoFlex® supply lines
- Order RP73838 for 1.0 gpm restrictor and RP73837 for 0.5 gpm restrictor
- Euro-motion DIAMOND™ Valve
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

See page 4 for icon definitions. ASME.A112.18.1/CSA.B125.1.

NEW! Available Q4 2021

Single Handle Bathroom Faucet

Model	Flow	Price	Finish
572-PR-MPU-DST	1.2 gpm	262.60	Lumicoat™ Chrome
572-BLMPU-DST	1.2 gpm	357.40	Matte Black
572-SS-PR-MPU-DST	1.2 gpm	357.40	Lumicoat™ Stainless

- 1 or 3-hole, 4" installation order RP101575 escutcheon
- 5 3/8" long, 5 15/16" high
- Rigid spout
- Laminar flow
- Red/blue indicator
- Metal drain assembly
- 3/8" compression fittings
- 2 1/2" max. deck thickness
- 32" min. InnoFlex® supply lines
- Order RP73838 for 1.0 gpm restrictor and RP73837 for 0.5 gpm restrictor
- Euro-motion DIAMOND™ Valve
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Single Handle Mid-Height Vessel Bathroom Faucet

Model	Flow	Price	Finish
671-PR-DST	1.2 gpm	314.15	Lumicoat™ Chrome
671-BL-DST	1.2 gpm	440.00	Matte Black
671-SS-PR-DST	1.2 gpm	440.00	Lumicoat™ Stainless

- 1-hole installation
- 5 15/16" long, 10 11/16"
- Rigid spout
- Laminar flow
- Red/blue indicator
- Order drain separately, see the Kitchen & Bath Parts section for options
- 3/8" compression fittings
- 2 1/4" max. deck thickness
- 32" min. InnoFlex® supply lines
- Order RP73838 for 1.0 gpm restrictor and RP73837 for 0.5 gpm restrictor
- Euro-motion DIAMOND™ Valve
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Single Handle Mid-Height Vessel Bathroom Faucet

Model	Flow	Price	Finish
673-PR-DST	1.2 gpm	396.80	Lumicoat™ Chrome
673-BL-DST	1.2 gpm	527.00	Matte Black
673-SS-PR-DST	1.2 gpm	527.00	Lumicoat™ Stainless

- 1-hole installation
- 5 15/16" long, 10" high
- Rigid spout
- Laminar flow
- Red/blue indicator
- Order drain separately, see the Kitchen & Bath Parts section for options
- 3/8" compression fittings
- 2 1/4" max. deck thickness
- 32" min. InnoFlex® supply lines
- Order RP73838 for 1.0 gpm restrictor and RP73837 for 0.5 gpm restrictor
- Euro-motion DIAMOND™ Valve
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Two Handle Widespread Bathroom Faucet

Model	Flow	Price	Finish
3571-PR-MPU-DST	1.2 gpm	370.65	Lumicoat™ Chrome
3571-BLMPU-DST	1.2 gpm	498.10	Matte Black
3571-SS-PR-MPU-DST	1.2 gpm	498.10	Lumicoat™ Stainless

- 3-hole 4" - 16" installation
- 5 7/8" long, 5 3/8" high
- Rigid spout
- Laminar flow
- Red/blue indicators
- Metal drain assembly
- 3/8" compression fittings
- 2 1/4" max. deck thickness
- 32" min. InnoFlex® supply lines
- Order RP73838 for 1.0 gpm restrictor and RP73837 for 0.5 gpm restrictor
- DIAMOND™ Valve
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

How To Order a Complete Wall Mount Bathroom Faucet

Complete Faucet = Rough R3500-WL + Trim select desired trim

NEW! Available Q4 2021

Two Handle Wall Mount Bathroom Faucet

Model	Flow	Price	Finish
T3571LF-PR-WL	1.2 gpm	276.60	Lumicoat™ Chrome
T3571LF-BLWL	1.2 gpm	373.40	Matte Black
T3571LF-SS-PR-WL	1.2 gpm	373.40	Lumicoat™ Stainless

- 3-hole 8" center wall mount installation
- 8 5/8" long
- Rigid spout
- Order drain separately, see the Kitchen & Bath Parts section for options
- Accommodates wall thicknesses from 1/8" to 1 1/8"
- RP91933 adds 2 5/8" to max. installation thickness
- Order wall mount rough R3500-WL separately
- DIAMOND™ Valve
- Order RP73805 for 1.0 gpm and RP73806 for 0.5 gpm water-efficient aerator
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

How To Order a Complete Roman Tub with or without Hand Shower Faucet

Complete Faucet = Rough select desired rough from the rough section + Trim select desired trim

A thermostatic mixing valve may be needed to comply with codes requiring an ASSE 1070 device.

NEW! Available Q4 2021

Roman Tub Trim

Model	Flow	Price	Finish
T2771-PR	-	337.65	Lumicoat™ Chrome
T2771-BL	-	434.95	Matte Black
T2771-SS-PR	-	434.95	Lumicoat™ Stainless

- 3-hole 8" - 16" installation
- 10" long, 6 5/16" high
- Rigid slip-on spout
- 4 3/4" from deck to outlet
- Red/blue indicators
- 2 1/2" diameter handle bases
- Order rough separately
- Refer to rough kits for thick deck options
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Roman Tub Trim with Hand Shower

Model	Flow	Price	Finish
T4771-PR	-	509.60	Lumicoat™ Chrome
T4771-BL	-	658.55	Matte Black
T4771-SS-PR	-	658.55	Lumicoat™ Stainless

- 4-hole 8" - 16" installation
- 10" long, 6 5/16" high
- Rigid slip-on spout
- 6 1/4" from deck to outlet
- Order handles separately (LHP)
- 2 1/2" diameter handle bases
- Order rough separately
- Refer to rough kits for thick deck options
- H_2Okinetic® 3-setting hand shower includes double check valves for backflow prevention
- WaterSense® labeled hand shower flow rate of 1.75 gpm @ 80 psi
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

How To Order a Complete Wall Mount Tub Filler Faucet

Complete Faucet = Rough R3500-WL + Trim select desired trim

NEW! Available Q4 2021

Wall Mount Tub Filler Trim

Model	Flow	Price	Finish
T5771-PR-WL	8.0 gpm	743.00	Lumicoat™ Chrome
T5771-BLWL	8.0 gpm	965.80	Matte Black
T5771-SS-PR-WL	8.0 gpm	965.80	Lumicoat™ Stainless

- 3-hole 8" center wall mount installation
- 12 3/4" long
- Rigid spout
- Metal lever handles
- 2 1/2" diameter handle bases
- Red/blue indicators
- Accommodates wall thicknesses from 1/8" to 3 3/4"
- MUST ORDER ROUGH SEPARATELY
- Order wall mount rough R3500-WL separately
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains
- To reduce spout length, order RP101616 to replace the existing spout with any non-diverter tub spout with universal adapter

How To Order a Complete Floor Mount Tub Filler Faucet

Complete Faucet = Rough R4700-FL or R4700-FLWS select desired rough (without cartridge) + Trim select desired trim (with cartridge)

A thermostatic mixing valve may be needed to comply with codes requiring an ASSE 1070 device.

NEW! Available Q4 2021

Floor Mount Tub Filler Trim

Model	Flow	Price	Finish
T4771-PR-FL	10.0 gpm	1160.70	Lumicoat™ Chrome
T4771-BLFL	10.0 gpm	1625.40	Matte Black
T4771-SS-PR-FL	10.0 gpm	1625.40	Lumicoat™ Stainless

- 1-hole installation
- 10 15/16" long, 40 7/16" high
- Rigid spout
- Red/blue indicator
- Single-function pressure balance cartridge
- For increased flow rate, order RP73598 non-pressure balance cartridge - not for use in shower applications
- Handle adjusts temperature
- Order rough separately
- Refer to rough kits for deck thickness options
- Touch-Clean® full body hand shower includes double check valves for backflow prevention
- Pivoting hand shower arm
- 60" - 82" stretchable metal hand shower hose
- WaterSense® labeled hand shower flow rate of 1.75 gpm @ 80 psi
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

How To Order a Complete MultiChoice® 14 or 17 Series Tub/Shower Faucet

Complete Faucet

=

Rough
select desired R10000 rough (without cartridge) from the rough section

+

Trim
select desired trim (with cartridge)

NEW! **Available Q4 2021**

Monitor 14 Series Valve Only Trim

Model	Flow	Price	Finish
T14072-PR	-	151.80	Lumicoat™ Chrome
T14072-BL	-	212.30	Matte Black
T14072-SS-PR	-	212.30	Lumicoat™ Stainless

- Single-function pressure balance cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77991 adds 1 3/4" to max. installation thickness
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

---

NEW! **Available Q4 2021**

Monitor 14 Series Tub Trim

Model	Flow	Price	Finish
T14172-PR	-	208.55	Lumicoat™ Chrome
T14172-BL	-	292.00	Matte Black
T14172-SS-PR	-	292.00	Lumicoat™ Stainless

- Single-function pressure balance cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77991 adds 1 3/4" to max. installation thickness
- 8 5/8" non-diverter tub spout
- Thread 1/2" IPS
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

---

NEW! **Available Q4 2021**

Monitor 14 Series Shower Trim

Model	Flow	Price	Finish
T14272-PR	1.75 gpm	229.55	Lumicoat™ Chrome
T14272-BL	1.75 gpm	298.40	Matte Black
T14272-SS-PR	1.75 gpm	298.40	Lumicoat™ Stainless

- Single-function pressure balance cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77991 adds 1 3/4" to max. installation thickness
- H_2Okinetic® 5-setting, 6" raincan shower head is WaterSense® labeled
- Self-cleaning H_2Okinetic® spray holes
- Pause, Full Body Spray, Full Spray w/Massage, H_2Okinetic® PowerDrench® Spray, Massage Spray
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

---

NEW! **Available Q4 2021**

Monitor 14 Series Tub & Shower Trim

Model	Flow	Price	Finish
T14472-PR	1.75 gpm	271.55	Lumicoat™ Chrome
T14472-BL	1.75 gpm	353.00	Matte Black
T14472-SS-PR	1.75 gpm	353.00	Lumicoat™ Stainless

ADA for valve control only

- Single-function pressure balance cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77991 adds 1 3/4" to max. installation thickness
- 7 3/16" pull-up tub spout
- Thread 1/2" IPS
- H_2Okinetic® 5-setting, 6" raincan shower head is WaterSense® labeled
- Self-cleaning H_2Okinetic® spray holes
- Pause, Full Body Spray, Full Spray w/Massage, H_2Okinetic® PowerDrench® Spray, Massage Spray
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

---

NEW! **Available Q4 2021**

Monitor 14 Series Shower Trim - Less Head

Model	Flow	Price	Finish
T14272-PR-LHD	-	168.95	Lumicoat™ Chrome
T14272-BL-LHD	-	236.50	Matte Black
T14272-SS-PR-LHD	-	236.50	Lumicoat™ Stainless

- Single-function pressure balance cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77991 adds 1 3/4" to max. installation thickness
- Order shower head separately (LHD)
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

---

See page 4 for icon definitions. Valve rating is 1.2 GPM minimum (4.5 L/min) for 13, 14 and 17 series pressure-balance and 17T series thermostatic at 45 psi (310kPa). Stated flow rate for shower heads @80 psi maximum water usage. ASME A112.1016/ASSE 1016/CSA B125.16.

NEW! Available Q4 2021

Monitor 14 Series Tub & Shower Trim - Less Head

Model	Flow	Price	Finish
T14472-PR-LHD	-	194.55	Lumicoat™ Chrome
T14472-BL-LHD	-	272.35	Matte Black
T14472-SS-PR-LHD	-	272.35	Lumicoat™ Stainless

ADA for valve control only

- Single-function pressure balance cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77991 adds 1 3/4" to max. installation thickness
- 7 3/16" pull-up tub spout
- Thread 1/2" IPS
- Order shower head separately (LHD)
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Monitor 17 Series Valve Only Trim

Model	Flow	Price	Finish
T17072-PR	-	204.60	Lumicoat™ Chrome
T17072-BL	-	286.40	Matte Black
T17072-SS-PR	-	286.40	Lumicoat™ Stainless

- Dual-function pressure balance cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77992 adds 1 3/4" to max. installation thickness
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Monitor 17 Series Shower Trim

Model	Flow	Price	Finish
T17271-PR	1.75 gpm	227.80	Lumicoat™ Chrome
T17271-BL	1.75 gpm	318.90	Matte Black
T17271-SS-PR	1.75 gpm	318.90	Lumicoat™ Stainless

- Dual-function pressure balance cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77992 adds 1 3/4" to max. installation thickness
- 3-setting raincan shower head is WaterSense® labeled
- Pause, Full Body Spray, Waterfall/Soft Waterfall
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Monitor 17 Series Shower Trim

Model	Flow	Price	Finish
T17272-PR	1.75 gpm	232.00	Lumicoat™ Chrome
T17272-BL	1.75 gpm	323.10	Matte Black
T17272-SS-PR	1.75 gpm	323.10	Lumicoat™ Stainless

- Dual-function pressure balance cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77992 adds 1 3/4" to max. installation thickness
- H_2Okinetic® 5-setting, 6" raincan shower head is WaterSense® labeled
- Self-cleaning H_2Okinetic® spray holes
- Pause, Full Body Spray, Full Spray w/Massage, H_2Okinetic® PowerDrench® Spray, Massage Spray
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Monitor 17 Series Tub & Shower Trim

Model	Flow	Price	Finish
T17472-PR	1.75 gpm	284.50	Lumicoat™ Chrome
T17472-BL	1.75 gpm	392.45	Matte Black
T17472-SS-PR	1.75 gpm	392.45	Lumicoat™ Stainless

ADA for valve control only

- Dual-function pressure balance cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts temperature
- Red/blue indicators
- RP77992 adds 1 3/4" to max. installation thickness
- 7 3/16" pull-up tub spout
- Thread 1/2" IPS
- H_2Okinetic® 5-setting, 6" raincan shower head is WaterSense® labeled
- Self-cleaning H_2Okinetic® spray holes
- Pause, Full Body Spray, Full Spray w/Massage, H_2Okinetic® PowerDrench Spray, Massage Spray
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

See page 4 for icon definitions. **Valve rating is 1.2 GPM minimum (4.5 L/min) for 13, 14 and 17 series pressure-balance and 17T series thermostatic at 45 psi (310kPa). Stated flow rate for shower heads @80 psi maximum water usage. ASME A112.1016/ASSE 1016/CSA B125.16.**

How To Order a Complete MultiChoice® TempAssure® 17T Series Shower System

Complete Custom Shower System	Rough R10000-UNBXHF or R10000-UNWSHF select desired rough (without cartridge)	Trim select desired trim (with cartridge)	Diverter Rough & Trim select desired rough and diverter trim	Hand Shower & Wall Elbow select desired hand shower(s) and wall elbow(s)	Body Spray select body spray(s)	Shower Head select desired shower head(s)

NEW! Available Q4 2021

TempAssure 17T Series Valve Only Trim

Model	Flow	Price	Finish
T17T071-PR	-	399.40	Lumicoat™ Chrome
T17T071-BL	-	559.30	Matte Black
T17T071-SS-PR	-	559.30	Lumicoat™ Stainless

- Dual-function thermostatic cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts volume
- Dial adjusts temperature
- Red/blue indicators
- RP75136 adds 1 3/4" to max. installation thickness
- H_2Okinetic® 4-Setting Raincan Shower Head
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

TempAssure 17T Series Shower Trim

Model	Flow	Price	Finish
T17T271-PR	1.75 gpm	442.80	Lumicoat™ Chrome
T17T271-BL	1.75 gpm	619.85	Matte Black
T17T271-SS-PR	1.75 gpm	619.85	Lumicoat™ Stainless

- Dual-function thermostatic cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts volume
- Dial adjusts temperature
- Red/blue indicators
- RP75136 adds 1 3/4" to max. installation thickness
- H_2Okinetic® 4-Setting 8" Raincan Shower Head is WaterSense® labeled
- H_2Okinetic® UltraSoak™ Spray, Pause, Massage Spray, H_2Okinetic® PowerDrench® Spray
- Self-cleaning H_2Okinetic® and Touch-Clean® spray holes
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Temp Assure 17T Series Tub & Shower Trim

Model	Flow	Price	Finish
T17T471-PR	1.75 gpm	479.15	Lumicoat™ Chrome
T17T471-BL	1.75 gpm	670.95	Matte Black
T17T471-SS-PR	1.75 gpm	670.95	Lumicoat™ Stainless

ADA for valve control only

- Dual-function thermostatic cartridge
- Order MultiChoice® Universal rough separately
- Metal lever handle adjusts volume
- Dial adjusts temperature
- Red/blue indicators
- RP75136 adds 1 3/4" to max. installation thickness
- H_2Okinetic® 4-Setting 8" Raincan Shower Head is WaterSense® labeled
- H_2Okinetic® UltraSoak™ Spray, Pause, Massage Spray, H_2Okinetic® PowerDrench® Spray
- Self-cleaning H_2Okinetic® and Touch-Clean® spray holes
- Thread 1/2" IPS
- 7 3/16" pull-up tub spout
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

3- and 6- Setting Diverter Trims

Model	Flow	Price	Finish
3-Setting Diverter			
T11871-PR	-	172.55	Lumicoat™ Chrome
T11871-BL	-	241.45	Matte Black
T11871-SS-PR	-	241.45	Lumicoat™ Stainless
6-Setting Diverter			
T11971-PR	-	172.55	Lumicoat™ Chrome
T11971-BL	-	241.45	Matte Black
T11971-SS-PR	-	241.45	Lumicoat™ Stainless

- T11871 - 2 individual positions, 1 shared position
- For 2 individual positions, no shared positions, order RP71717
- T11971 - 3 individual positions, 3 shared positions
- For 3 individual positions, no shared positions, order RP71718
- Metal Lever Handle
- Order diverter rough R11000 separately
- Includes cartridge
- RP75137 adds 1" to max. installation thickness
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

See page 4 for icon definitions. Valve rating is 1.2 GPM minimum (4.5 L/min) for 13, 14 and 17 series pressure-balance and 17T series thermostatic at 45 psi (310kPa). Stated flow rate for shower heads @80 psi maximum water usage. ASME A112.1016/ASSE 1016/CSA B125.16.

How To Order a Complete MultiChoice® 14, 17 or 17T Series Shower System w/3 or 6-Setting Integrated Diverter Trim

Complete Custom Shower System | Rough R22000 or R22000-WS select desired rough (without cartridges) | Valve Trim w/3- or 6-Setting Integrated Diverter select desired valve/integrated diverter trim (with cartridges) | Shower Head select desired shower head(s) | Hand Shower & Wall Elbow select desired hand shower(s) and wall elbow(s) | Body Spray select body spray(s)

NEW! Available Q4 2021

2-Handle Monitor 14 Series Valve Trim with 3- and 6- Setting Diverter

FP

Model	Flow	Price	Finish
3-Setting Diverter			
T24871-PR	-	295.15	Lumicoat™ Chrome
T24871-BL	-	413.30	Matte Black
T24871-SS-PR	-	413.30	Lumicoat™ Stainless
6-Setting Diverter			
T24971-PR	-	295.15	Lumicoat™ Chrome
T24971-BL	-	413.30	Matte Black
T24971-SS-PR	-	413.30	Lumicoat™ Stainless

- Single-function pressure balance cartridge
- Top handle controls diverter functions
- Bottom handle controls on / off and adjusts temperature
- Order MultiChoice® Universal integrated diverter rough R22000 separately
- Red/blue indicators
- T24871 - 2 individual positions, 1 shared position
- T24871 - For 2 individual positions, no shared positions, order RP71717
- T24971 - 3 individual positions, 3 shared positions
- T24971 - For 3 individual positions, no shared positions, order RP71718
- Includes cartridges
- RP90542 adds up to 1" max. deck thickness
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

2-Handle Monitor 17 Series Valve Trim with 3- and 6- Setting Diverter

FP

Model	Flow	Price	Finish
3-Setting Diverter			
T27871-PR	-	319.35	Lumicoat™ Chrome
T27871-BL	-	447.00	Matte Black
T27871-SS-PR	-	447.00	Lumicoat™ Stainless
6-Setting Diverter			
T27971-PR	-	319.35	Lumicoat™ Chrome
T27971-BL	-	447.00	Matte Black
T27971-SS-PR	-	447.00	Lumicoat™ Stainless

- Dual-function pressure balance cartridge
- Top handle controls diverter functions
- Bottom handle controls on / off and adjusts temperature
- Order MultiChoice® Universal integrated diverter rough R22000 separately
- T27871 - 2 individual positions, 1 shared position
- T27871 - For 2 individual positions, no shared positions, order RP71717
- T27971 - 3 individual positions, 3 shared positions
- T27971 - For 3 individual positions, no shared positions, order RP71718
- Includes cartridges
- RP90543 adds up to 1" max. deck thickness
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

2-Handle TempAssure 17T Series Valve Trim with 3- and 6- Setting Diverter

FP

Model	Flow	Price	Finish
3-Setting Diverter			
T27T871-PR	-	542.15	Lumicoat™ Chrome
T27T871-BL	-	759.05	Matte Black
T27T871-SS-PR	-	759.05	Lumicoat™ Stainless
6-Setting Diverter			
T27T971-PR	-	542.15	Lumicoat™ Chrome
T27T971-BL	-	759.05	Matte Black
T27T971-SS-PR	-	759.05	Lumicoat™ Stainless

- Dual-function thermostatic cartridge
- Top handle controls diverter functions
- Bottom handle controls on / off and adjusts temperature
- Order MultiChoice® Universal integrated diverter rough R22000 separately
- T27T871 - 2 individual positions, 1 shared position
- T27T871 - For 2 individual positions, no shared positions, order RP71717
- T27T971 - 3 individual positions, 3 shared positions
- T27T971 - For 3 individual positions, no shared positions, order RP71718
- Includes cartridges
- RP90544 adds up to 1" max. deck thickness
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

See page 4 for icon definitions. Valve rating is 1.2 GPM minimum (4.5 L/min) for 13, 14 and 17 series pressure-balance and 17T series thermostatic at 45 psi (310kPa). Stated flow rate for shower heads @80 psi maximum water usage. ASME A112.1016/ASSE 1016/CSA B125.16.

How To Order a Complete HydraChoice® Body Spray System

Complete Body Spray

=

Rough
R50200

+

Trim
T50010

+

Spray Head
select desired spray head

HydraChoice® Round Body Spray Trim

FP

Model	Flow	Price	Finish
T50010	1.0 gpm	78.20	Chrome
T50010-BL	1.0 gpm	101.60	Matte Black
T50010-SS	1.0 gpm	101.60	Brilliance® Stainless

- Flush mount installation
- 3 1/2" height and width
- Rough, trim and spray head required for complete unit
- Rough and spray head sold separately

NEW!

Touch-Clean® Spray Head

FP

- Automatically extends when water is turned on
- Full body spray
- Finished spray face with Touch-Clean® spray holes
- 1 3/4" diameter
- Rotates up to 50° in any direction
- Rough, trim and spray head required for complete unit
- Rough and trim sold separately
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

Model	Price	Finish
SH5000-PR	25.75	Lumicoat™ Chrome
SH5000-BL	34.40	Matte Black
SH5000-SS-PR	33.40	Lumicoat™ Stainless

New Lumicoat™ Chrome and Lumicoat™ Stainless Finishes Available Q3 2021

NEW!

H_2Okinetic® Invigorating Spray Head

FP

- Automatically extends when water is turned on
- H_2Okinetic® PowerDrench® spray
- 1 3/4" diameter
- Rotates up to 50° in any direction
- Rough, trim and spray head required for complete unit
- Rough and trim sold separately
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

Model	Price	Finish
SH5002-PR	25.75	Lumicoat™ Chrome
SH5002-BL	34.40	Matte Black
SH5002-SS-PR	33.40	Lumicoat™ Stainless

New Lumicoat™ Chrome and Lumicoat™ Stainless Finishes Available Q3 2021

NEW!

H_2Okinetic® Soothing Spray Head

FP

- Automatically extends when water is turned on
- H_2Okinetic® PowerDrench® spray
- 1 3/4" diameter
- Rotates up to 50° in any direction
- Rough, trim and spray head required for complete unit
- Rough and trim sold separately
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

Model	Price	Finish
SH5003-PR	25.75	Lumicoat™ Chrome
SH5003-BL	30.90	Matte Black
SH5003-SS-PR	33.40	Lumicoat™ Stainless

New Lumicoat™ Chrome and Lumicoat™ Stainless Finishes Available Q3 2021

NEW!

H_2Okinetic® Massaging Spray Head

FP

- Automatically extends when water is turned on
- H_2Okinetic® PowerDrench® spray
- 1 3/4" diameter
- Rotates up to 50° in any direction
- Rough, trim and spray head required for complete unit
- Rough and trim sold separately
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

Model	Price	Finish
SH5005-PR	25.75	Lumicoat™ Chrome
SH5005-BL	34.40	Matte Black
SH5005-SS-PR	33.40	Lumicoat™ Stainless

New Lumicoat™ Chrome and Lumicoat™ Stainless Finishes Available Q3 2021

Surface Mount Body Spray

FP

Model	Flow	Price	Finish
50102	1.75 gpm	124.05	Chrome
50102-BL	1.75 gpm	158.20	Matte Black
50102-SS	1.75 gpm	161.40	Brilliance® Stainless

- Full body spray
- Finished spray face with Touch-Clean® spray holes
- 2 7/16" diameter spray face
- Surface mount
- Spray adjusts 30° in all directions
- 1/2" rough-in

See page 4 for icon definitions. ASME.A112.18.1/CSA.B125.1.

NEW!

Wall Elbow for Hand Shower

Model	Flow	Price	Finish
50560-PR	-	61.30	Lumicoat™ Chrome
50560-BL	-	84.85	Matte Black
50560-SS-PR	-	91.65	Lumicoat™ Stainless

New Lumicoat™ Chrome and Lumicoat™ Stainless Finishes Available Q3 2021

- Hand shower wall supply
- 1/2" IPS female inlet
- 1/2" IPS male outlet
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Universal Showering *3-Setting Hand Shower*

FP U

Model	Flow	Price	Finish
59386-PR	1.75 gpm	95.00	Lumicoat™ Chrome
59386-BL	1.75 gpm	123.50	Matte Black
59386-SS-PR	1.75 gpm	123.50	Lumicoat™ Stainless

- Three-setting hand shower
- Hand shower only - hose NOT included
- Touch-Clean® spray holes
- Push-button spray selection
- Full Body Spray, Soft Waterfall Spray, Pause
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Universal Showering *3-Setting Wall Mount Hand Shower*

FP U

Model	Flow	Price	Finish
55386-PR	1.75 gpm	255.00	Lumicoat™ Chrome
55386-BL	1.75 gpm	331.50	Matte Black
55386-SS-PR	1.75 gpm	331.50	Lumicoat™ Stainless

- Three-setting hand shower
- Adjustable wall mount
- 60" - 82" stretchable metal hose
- Touch-Clean® spray holes
- Push-button spray selection
- Full Body Spray, Soft Waterfall Spray, Pause
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! Available Q4 2021

Universal Showering *3-Setting Slide Bar Hand Shower*

FP U

Model	Flow	Price	Finish
51386-PR	1.75 gpm	355.00	Lumicoat™ Chrome
51386-BL	1.75 gpm	461.50	Matte Black
51386-SS-PR	1.75 gpm	461.50	Lumicoat™ Stainless

- Three-setting hand shower
- 24" long wall bar with adjustable slide
- 60" - 82" stretchable metal hose
- Touch-Clean® spray holes
- Push-button spray selection
- Full Body Spray, Soft Waterfall Spray, Pause
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

Universal Showering *Emerge™ Round Contemporary Shower Column*

FP U

Model	Flow	Price	Finish
58810	-	420.60	Chrome
58810-BL	-	573.55	Matte Black
58810-SS	-	573.55	Brilliance® Stainless

- 18" shower column
- 15" overhead shower arm
- 6" of height above water inlet
- 60" - 82" stretchable metal hose
- Pivoting hand shower mount
- 3-way diverter
- RP100181 Available for 1.75 gpm conversions
- Shower head and hand shower not included

Universal Showering *Emerge™ Round Contemporary Shower Column*

FP U

Model	Flow	Price	Finish
58820	-	480.70	Chrome
58820-BL	-	655.50	Matte Black
58820-SS	-	655.50	Brilliance® Stainless

- 26" shower column
- 15" overhead shower arm
- 6" of height above water inlet
- 60" - 82" stretchable metal hose
- Pivoting hand shower mount
- 3-way diverter
- RP100181 Available for 1.75 gpm conversions
- Shower head and hand shower not included

NEW!

Universal Showering
In2ition® H_2Okinetic® 4-Setting Two-in-One Shower

U

Model	Flow	Price	Finish
58472-PR	2.5 gpm	357.25	Lumicoat™ Chrome
58472-BL	2.5 gpm	438.75	Matte Black
58472-SS-PR	2.5 gpm	473.85	Lumicoat™ Stainless

New Lumicoat™ Chrome and Lumicoat™ Stainless Finishes Available Q3 2021

- Integrated H_2Okinetic® shower head and hand shower
- Four-setting hand shower
- Fully plated shower head
- 60" - 82" stretchable metal hose
- Self-cleaning H_2Okinetic® spray holes
- 3-way lever diverter
- Push-button spray selection
- Shower arm mount
- Pause, H_2Okinetic® PowerDrench® Spray, Massage Spray, H_2Okinetic® PowerDrench® Spray w/Massage
- MagnaTite® docking
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW!

Universal Showering *In2ition® H_2Okinetic® 5-Setting Two-in-One Shower*

U

Model	Flow	Price	Finish
58480-PR-PK	1.75 gpm	318.30	Lumicoat™ Chrome
58480-BL-PK	1.75 gpm	412.95	Matte Black
58480-SS-PR-PK	1.75 gpm	437.30	Lumicoat™ Stainless

New Lumicoat™ Chrome and Lumicoat™ Stainless Finishes Available Q3 2021

- Integrated H_2Okinetic® shower head and hand shower is WaterSense® labeled
- Five-setting hand shower
- Fully plated shower head
- 60" - 82" stretchable metal hose
- Self-cleaning H_2Okinetic® and Touch-Clean® spray holes
- 3-way lever diverter
- Push-button spray selection
- Shower arm mount
- Pause, Full Body Spray, Full Spray w/Massage, H_2Okinetic® PowerDrench® Spray, Massage Spray
- MagnaTite® docking
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! **Available Q4 2021**

SureDock™ Magnetic 7-Setting Hand Shower

FP U

Model	Flow	Price	Finish
54810-PK	1.75 gpm	171.40	Chrome
54810-BL-PK	1.75 gpm	222.80	Matte Black
54810-SS-PK	1.75 gpm	222.80	Brilliance® Stainless

- Seven-setting magnetic hand shower
- Shower arm mount
- 60"-82" stretchable metal hose
- Self-cleaning H_2Okinetic® and Touch-Clean® spray holes
- Dial changes spray settings
- Push-button pause setting
- MagnaTite® docking
- Docks with a magnetic mount to hold hand shower securely
- Pause, Full Body Spray, Full Spray w/ Massage, H_2Okinetic® PowerDrench® Spray, Massage Spray, Shampoo Rinsing Spray, Shampoo Rinsing Spray w/ Massage

NEW! **Available Q4 2021**

Universal Showering *3-Setting Shower Head*

FP U

Model	Flow	Price	Finish
52386-PR	1.75 gpm	135.00	Lumicoat™ Chrome
52386-BL	1.75 gpm	175.50	Matte Black
52386-SS-PR	1.75 gpm	175.50	Lumicoat™ Stainless

- Three-setting shower head
- 4 1/4" spray face
- 4 3/4" shower head depth
- Touch-Clean® spray holes
- Dial changes spray settings
- Full Body Spray, Waterfall Spray, Pause
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW!

Universal Showering *H_2Okinetic® Single-Setting Raincan Shower Head*

U

Model	Flow	Price	Finish
RP70175PR	1.75 gpm	142.15	Lumicoat™ Chrome
RP70175BL	1.75 gpm	188.15	Matte Black
RP70175SSPR	1.75 gpm	199.25	Lumicoat™ Stainless

New Lumicoat™ Chrome and Lumicoat™ Stainless Finishes Available Q3 2021

- Single-setting H_2Okinetic® shower head
- 5 1/2" spray face
- 2 5/8" shower head depth
- Self-cleaning H_2Okinetic® spray holes
- H_2Okinetic® PowerDrench® Spray
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

Universal Showering *H_2Okinetic® Single-Setting Metal Raincan Shower Head*

U

Model	Flow	Price	Finish
52175	1.75 gpm	286.85	Chrome
52175-BL	1.75 gpm	430.20	Matte Black
52175-SS	1.75 gpm	401.55	Brilliance® Stainless

- Single-setting shower head
- 6" spray face
- 2 5/8" shower head depth
- Self-cleaning H_2Okinetic® spray holes
- All brass construction
- H_2Okinetic® PowerDrench® Spray

NEW!

Universal Showering
H_2Okinetic® 3-Setting Raincan Shower Head

U

Model	Flow	Price	Finish
52688-PR	1.75 gpm	190.30	Lumicoat™ Chrome
52688-BL	1.75 gpm	278.15	Matte Black
52688-SS-PR	1.75 gpm	294.50	Lumicoat™ Stainless

New Lumicoat™ Chrome and Lumicoat™ Stainless Finishes Available Q3 2021

- Three-setting H_2Okinetic® shower head
- 7 3/4" spray face
- 3 1/2" shower head depth
- Self-cleaning H_2Okinetic® and Touch-Clean® spray holes
- Lever changes spray settings
- Pause, Full Body Spray, H_2Okinetic® PowerDrench® Spray
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW!

Universal Showering
H_2Okinetic® 4-Setting Raincan Shower Head

U

Model	Flow	Price	Finish
52488-PR	1.75 gpm	196.65	Lumicoat™ Chrome
52488-BL	1.75 gpm	314.85	Matte Black
52488-SS-PR	1.75 gpm	255.65	Lumicoat™ Stainless

New Lumicoat™ Chrome and Lumicoat™ Stainless Finishes Available Q4 2021

- Four-setting H_2Okinetic® shower head
- 8" spray face
- 3 3/8" shower head depth
- Self-cleaning H_2Okinetic® and Touch-Clean® spray holes
- Lever changes spray settings
- H_2Okinetic® UltraSoak™ Spray, Pause, Massage Spray, H_2Okinetic® PowerDrench® Spray
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW!

Universal Showering
H_2Okinetic® 5-Setting Raincan Shower Head

U

Model	Flow	Price	Finish
52668-PR	1.75 gpm	143.50	Lumicoat™ Chrome
52668-BL	1.75 gpm	175.60	Matte Black
52668-SS-PR	1.75 gpm	186.55	Lumicoat™ Stainless

New Lumicoat™ Chrome and Lumicoat™ Stainless Finishes Available Q4 2021

- Five-setting H_2Okinetic® shower head
- 6" spray face
- 4" shower head depth
- Self-cleaning H_2Okinetic® and Touch-Clean® spray holes
- Push-button spray selection
- Pause, Full Body Spray, Full Spray w/Massage, H_2Okinetic® PowerDrench® Spray, Massage Spray
- PR - Lumicoat™ finishes, guaranteed to resist mineral buildup and hard water stains

NEW! **Available Q4 2021**

8" Towel Bar

FP

- Extends 3 1/2" from wall
- Mounting hardware included
- Overall size 9 7/8" x 1 7/8" x 3 1/2"

Model	Price	Finish
77208	44.65	Chrome
77208-BL	59.00	Matte Black
77208-SS	59.00	Brilliance® Stainless

NEW! **Available Q4 2021**

18" Towel Bar

FP

- Extends 3 1/2" from wall
- Mounting hardware included
- Overall size 19 7/8" x 1 7/8" x 3 1/2"

Model	Price	Finish
77218	55.95	Chrome
77218-BL	72.15	Matte Black
77218-SS	72.15	Brilliance® Stainless

NEW! **Available Q4 2021**

24" Towel Bar

FP

- Extends 3 1/2" from wall
- Mounting hardware included
- Overall size 25 7/8" x 1 7/8" x 3 1/2"

Model	Price	Finish
77224	62.25	Chrome
77224-BL	80.00	Matte Black
77224-SS	80.00	Brilliance® Stainless

NEW! **Available Q4 2021**

30" Towel Bar

FP

- Extends 3 1/2" from wall
- Mounting hardware included
- Overall size 31 7/8" x 1 7/8" x 3 1/2"

Model	Price	Finish
77230	99.10	Chrome
77230-BL	123.90	Matte Black
77230-SS	123.90	Brilliance® Stainless

NEW! **Available Q4 2021**

Robe Hook

FP

- Extends 2 13/16" from wall
- Mounting hardware included
- Overall size 1 13/16" x 1 13/16" x 2 13/16"

Model	Price	Finish
77235	30.75	Chrome
77235-BL	39.65	Matte Black
77235-SS	39.65	Brilliance® Stainless

NEW! **Available Q4 2021**

Tissue Holder

FP

- Extends 3 1/2" from wall
- Mounting hardware included
- Pivoting arm
- 8 5/8" long
- Overall size 8 5/8" x 1 7/8" x 3 1/2"

Model	Price	Finish
772500	64.60	Chrome
772500-BL	80.75	Matte Black
772500-SS	80.75	Brilliance® Stainless

See page 4 for icon definitions. **Valve rating is 1.2 GPM minimum (4.5 L/min) for 13, 14 and 17 series pressure-balance and 17T series thermostatic at 45 psi (310kPa). ASME A112.1016/ASSE 1016/CSA B125.16.**

NEW! Available Q4 2021

Universal Tank Lever

FP

- Universal Mount
- Mounting hardware included
- 2 5/8" long
- Overall size 2 5/8" x 1 5/16" x 1 5/16"

Model	Price	Finish
77260	45.70	Chrome
77260-BL	57.00	Matte Black
77260-SS	57.00	Brilliance® Stainless

Décor Assist™ Contemporary Corner Shelf with Assist Bar

FP

- 9 1/8" corner shelf also functions as assist bar
- 7/8" diameter assist bar
- Mounting hardware included
- Retrievable assist bar wall anchor included
- Supports up to 300 pounds when properly installed
- Overall size 9 1/8" x 9 1/8" x 2 3/16"

Model	Price	Finish
41516	100.75	Chrome
41516-BL	113.50	Matte Black
41516-SS	125.90	Brilliance® Stainless

24" Décor Assist™ Contemporary Towel Bar with Assist Bar

FP

- Towel bar also functions as assist bar
- 7/8" diameter assist bar
- Extends 3" from wall
- Mounting hardware included
- Retrievable assist bar wall anchor included
- Supports up to 300 pounds when properly installed
- Overall size 27" x 4 1/4" x 3"

Model	Price	Finish
41519	100.75	Chrome
41519-BL	125.90	Matte Black
41519-SS	125.90	Brilliance® Stainless

Décor Assist™ Contemporary Tissue Holder with Assist Bar

FP

- Tissue holder also functions as assist bar
- 6" long
- 7/8" diameter assist bar
- Pivoting arm
- Extends 4 3/4" from wall
- Mounting hardware included
- Retrievable assist bar wall anchor included
- Supports up to 300 pounds when properly installed
- Overall size 8" x 4" x 4 3/4"

Model	Price	Finish
41550	100.75	Chrome
41550-BL	122.20	Matte Black
41550-SS	125.90	Brilliance® Stainless

12" Contemporary Decorative ADA Grab Bar

FP

- 1 1/4" diameter
- Extends 2 3/4" from wall
- Concealed mounting
- 3 1/2" diameter flanges
- 1 1/2" wall clearance
- Mounting hardware included
- Grab bar wall anchor included
- Supports up to 500 pounds when properly installed
- Overall size 15 1/2" x 3 1/2" x 2 3/4"

Model	Price	Finish
41812	105.30	Chrome
41812-BL	131.55	Matte Black
41812-SS	131.55	Brilliance® Stainless

18" Contemporary Decorative ADA Grab Bar

FP

- 1 1/4" diameter
- Extends 2 3/4" from wall
- Concealed mounting
- 3 1/2" diameter flanges
- 1 1/2" wall clearance
- Mounting hardware included
- Grab bar wall anchor included
- Supports up to 500 pounds when properly installed
- Overall size 21 1/2" x 3 1/2" x 2 3/4"

Model	Price	Finish
41818	112.05	Chrome
41818-BL	140.05	Matte Black
41818-SS	140.05	Brilliance® Stainless

24" Contemporary Decorative ADA Grab Bar

FP

- 1 1/4" diameter
- Extends 2 3/4" from wall
- Concealed mounting
- 3 1/2" diameter flanges
- 1 1/2" wall clearance
- Mounting hardware included
- Grab bar wall anchor included
- Supports up to 500 pounds when properly installed
- Overall size 27 1/2" x 3 1/2" x 2 3/4"

Model	Price	Finish
41824	123.30	Chrome
41824-BL	154.15	Matte Black
41824-SS	154.15	Brilliance® Stainless

36" Contemporary Decorative ADA Grab Bar

FP

- 1 1/4" diameter
- Extends 2 3/4" from wall
- Concealed mounting
- 3 1/2" diameter flanges
- 1 1/2" wall clearance
- Mounting hardware included
- Grab bar wall anchor included
- Supports up to 500 pounds when properly installed
- Overall size 39 1/2" x 3 1/2" x 2 3/4"

Model	Price	Finish
41836	141.40	Chrome
41836-BL	176.75	Matte Black
41836-SS	176.75	Brilliance® Stainless

42" Contemporary Decorative ADA Grab Bar

FP

- 1 1/4" diameter
- Extends 2 3/4" from wall
- Concealed mounting
- 3 1/2" diameter flanges
- 1 1/2" wall clearance
- Mounting hardware included
- Grab bar wall anchor included
- Supports up to 500 pounds when properly installed
- Overall size 45 1/2" x 3 1/2" x 2 3/4"

Model	Price	Finish
41842	170.25	Chrome
41842-BL	212.80	Matte Black
41842-SS	212.80	Brilliance® Stainless

See page 4 for icon definitions. ASME.A112.18.1/CSA.B125.1.